

# First-Order Logic

CSCE 420 – Fall 2024

read: Ch. 8,9

# First-Order Logic as Knowledge Repr. for AI

- while Prop Log and Boolean satisfiability has many applications, it has limited expressiveness
  - think of how many rules or clauses were required for the Wumpus world, or tic-tac-toe, or map-coloring
- First-Order Logic (FOL) is more expressive
  - FOL is considered the *lingua franca* for AI, or the standard concept representation language for underlying most knowledge bases
  - flexible enough to express almost any concept
  - many KR systems have been proposed over the years, but the AI community has found FOL to be the common, most useful, general language
- two influential books/papers (among many) showing the generality of FOL for KR:
  - Patrick Hayes – Naive Physics Manifesto (1978)
  - Ernest Davis – Representations of Commonsense Knowledge (1990)

# Overview of FOL

- the main extensions to the language are:
  - we now have predicates, not just propositions, making it relational
    - `father(Bart,Homer)` instead of `FatherOfBartIsHomer`
  - we now have variables and quantifiers
    - $\forall c \text{ car}(c) \rightarrow \text{hasEngine}(c)$

# Example of FOL Expressiveness


- Map-coloring

- PropLog

- $WAR \vee WAG \vee WAB, NTR \vee NTG \vee NTB...$
    - $WAR \rightarrow \neg WAB \wedge \neg WAG, WAG \rightarrow \neg WAB \wedge \neg WAR ...$
    - $WAG \rightarrow \neg NTG, WAG \rightarrow \neg SAG...$
    - (about 50 sentences)

- FOL

- $neigh(WA,NT),neigh(WA,SA),neigh(NT,SA),neigh(NT,Q)...$
    - $color(R),color(G),color(B)$
    - $state(WA),state(NT)...,state(V),state(T)$
    - $\forall s \text{ state}(s) \rightarrow \exists c \text{ color}(c) \wedge \text{hasColor}(s,c)$  // each state is at least 1 color
    - $\forall s,c,d \text{ state}(s) \wedge \text{hasColor}(s,c) \wedge \text{hasColor}(s,d) \rightarrow c=d$  // at most 1 color
    - $\forall s,t,c \text{ state}(s) \wedge \text{state}(t) \wedge \text{neigh}(s,t) \wedge \text{hasColor}(s,c) \rightarrow \neg \text{hasColor}(t,c)$
    - (more concise than Prop Log - only 3 rules!)



# Syntax of FOL

- BNF

- $\langle \text{sentence} \rangle ::= \langle \text{atomic} \rangle \mid \langle \text{complex} \rangle$
- $\langle \text{atomic} \rangle ::= \langle \text{predicate} \rangle \mid \langle \text{equality} \rangle$
- $\langle \text{predicate} \rangle ::= \langle \text{predicatename} \rangle (\langle \text{term} \rangle^*)$ 
  - predicate names are symbols, like propositions
  - they represent *properties* or *categories* (for unary case, 1 arg), or *relationships* (for n-ary case,  $n \geq 2$ )
  - examples: `cat(garfield)`, `hungry(garfield)`, `owner(garfield,jon)`, `feeds(jon,garfield,lasagna)`
- $\langle \text{term} \rangle ::= \langle \text{const} \rangle \mid \langle \text{var} \rangle \mid \langle \text{function} \rangle$ 
  - consts and vars both look like symbols, but the difference is usually clear from context
  - some languages mark vars, e.g. `'?x'`,
- $\langle \text{function} \rangle ::= \langle \text{functionname} \rangle (\langle \text{arg} \rangle^*)$ 
  - functions look like predicates, but they are always *embedded inside predicates* as args
  - `loves(bill,motherOf(bill))`, `in(keys(carOf(jon))),pocketOf(pantsOf(jon)))`

# Syntax of FOL

- BNF cont'd
  - $\langle \text{complex} \rangle ::= (\langle \text{sent} \rangle) \mid \langle \text{sent} \rangle \langle \text{binop} \rangle \langle \text{sent} \rangle \mid \neg \langle \text{sent} \rangle \mid \langle \text{quantified} \rangle$
  - $\langle \text{binop} \rangle ::= \wedge \mid \vee \mid \rightarrow \mid \leftrightarrow \mid \oplus$
  - $\langle \text{quantified} \rangle ::= \langle \text{quantifier} \rangle \langle \text{var} \rangle \langle \text{sentence} \rangle$
  - $\langle \text{quantifier} \rangle ::= \forall \mid \exists$ 
    - note: all variables in sentence should be quantified (else they are called 'free')
    - we can combine several variables for concision:  $\forall x \forall y P(x,y) \equiv \forall x,y P(x,y)$
    - scoping and order of quantifiers matters!
    - $\forall x \exists y \text{ loves}(x,y)$  // everybody loves somebody
    - $\exists y \forall x \text{ loves}(x,y)$  // there is somebody loved by everybody

# Syntax of FOL

- Equality

- $\langle \text{equality} \rangle ::= \langle \text{term} \rangle = \langle \text{term} \rangle$ 
  - includes  $\langle \text{var} \rangle = \langle \text{const} \rangle$ ,  $\langle \text{var} \rangle = \langle \text{var} \rangle$ ,  $\langle \text{const} \rangle = \langle \text{const} \rangle$ ,  $\langle \text{const} \rangle = \langle \text{funct} \rangle \dots$
  - examples:  $?c = \text{red}$ ,  $?x = ?y$ ,  $\text{alice} = \text{motherOf}(\text{bill})$
  - technically, '=' is just a binary predicate! like this:  $\text{Eq}(\text{alice}, \text{motherOf}(\text{bill}))$
  - can negate these too:  $\forall s, t, c, d \text{ hasColor}(s, c) \wedge \text{hasColor}(t, d) \wedge \text{neigh}(s, t) \rightarrow \neg c = d \quad (\equiv c \neq d)$

- Numbers


- constants with conventional meanings, like 0, 1, -2, 4.501, (and  $\pi$ , e,...)
- $\forall x \text{ biped}(x) \rightarrow \text{numLegs}(x) = 2$  //  $\text{Eq}(\text{numLegs}(x), 2)$ , note:  $\text{numLegs}()$  is a function
- or...  $\forall x \text{ biped}(x) \rightarrow \exists y, z \text{ leg}(y) \wedge \text{leg}(z) \wedge \text{partOf}(y, x) \wedge \text{partOf}(z, x) \wedge y \neq z \wedge \dots$   
 $(\forall w \text{ leg}(w) \wedge \text{partOf}(w, x) \rightarrow (w = y \vee w = z))$
- actually, although this definition is more verbose, it is preferred because you can do more reasoning with it, because it identifies specific objects as legs;  $\text{leg}()$  and  $\text{partOf}()$  are useful as general predicates for making other inferences

# Guidelines for Translating Knowledge into FOL

- divide the world into:
  - objects
    - I mean this in the abstract, conceptual way - anything we can 'talk about' or 'refer to'
    - garfield, sam's birthday, queen of England, the signing of the magna carte, ...
  - types/categories/properties of things
    - cats, game pieces, colors, states, people, apples, legs...
    - events, situations
    - model these with unary predicates, e.g. `cat(garfield)`, `F150(truck7)`, `birthday(b152)`
    - `happy(x)`, `salty(x)`, `broken(x)`, `hasPower(x)`...
  - relations
    - `prerequisite(csce411,csce420)`, `instructor(csce221,DrWelch)`, `birthdayPerson(b152,sam)`, `owner(cheers,sam)`, `girlfriend(sam,diane)`




# Using FOL



$\forall x \text{ person}(x) \rightarrow \text{mammal}(x)$   
 $\forall x \text{ person}(x) \rightarrow \exists y \text{ hasMother}(x,y) \wedge \text{femalePerson}(y)$   
 $\forall x \text{ femalePerson}(x) \rightarrow \text{person}(x)$   
 $\text{femalePerson}(\text{mary})$   
 $\text{malePerson}(\text{john})$   
 $\text{sisterOf}(\text{john}, \text{mary})$

*this illustrates rules encoding taxonomic info*



$\text{FlyEvent}(\text{Fly17})$   
 $\text{agent}(\text{Fly17}, \text{Shankar})$   
 $\text{origin}(\text{Fly17}, \text{NewYork})$   
 $\text{destination}(\text{Fly17}, \text{NewDelhi})$   
 $\text{during}(\text{Fly17}, \text{yesterday})$

*this illustrates 'reification' – treating an abstract thing such as an event like an 'object' which has properties and relates to other objects*

# Using FOL

- writing concept definitions as rules
  - $\forall x \text{ bachelor}(x) \leftrightarrow \text{person}(x) \wedge \text{adult}(x) \wedge \text{male}(x) \wedge \neg \text{married}(x)$
  - $\forall x,y \text{ grandmother}(x,y) \leftrightarrow \exists z \text{ parent}(x,z) \wedge \text{parent}(z,y) \wedge \text{female}(x)$
  - how would you define: hard-drive? chair? ambush? bargain?
- properties are like subsets
  - $\forall x \text{ plant}(x) \rightarrow \text{green}(x)$  // plants are a subset of things that are green
- describing compositions of objects: partOf predicate
  - $\forall c \text{ car}(c) \rightarrow \exists t \text{ tire}(t) \wedge \text{partOf}(x,t)$  // don't forget to relate the 2 objects
  - $\forall x \text{ biped}(x) \rightarrow \exists y,z \text{ leg}(y) \wedge \text{leg}(z) \wedge \text{partOf}(y,x) \wedge \text{partOf}(z,x) \wedge y \neq z \wedge (\forall w \text{ leg}(w) \wedge \text{partOf}(w,x) \rightarrow (w=y \vee w=z))$
  - $\text{partOf}(\text{toe}, \text{foot}), \text{partOf}(\text{foot}, \text{leg}), \text{partOf}(\text{leg}, \text{humanBody})$
- location and spatial relationships:
  - $\text{loc}(\text{house}(\text{joe}), \text{BCS})$  // i.e. geographic location; BCS is a 'place'
  - $\forall d,h \text{ frontDoor}(d,h) \leftrightarrow \text{door}(d) \wedge \text{house}(h) \wedge \text{in}(d, \text{frontSideOf}(h))$  // note the function
  - $\forall x,y,z \text{ in}(x,y) \wedge \text{in}(y,z) \rightarrow \text{in}(x,z)$  // transitivity, e.g. milk in fridge, in kitchen
  - $\forall a,b,L \text{ in}(a,L) \wedge \text{partOf}(b,a) \rightarrow \text{in}(b,L)$  // if in(patient59, room1002), so are his toes...

# Guidelines for Translating Knowledge into FOL

- important: divide long constants and predicate names into simpler concepts (and define them)
  - instead of *below30psi(leftFrontTireOfJohnsKia)*, say:
  - $\exists t, c \text{ tire}(t) \wedge \text{car}(c) \wedge \text{partOf}(t, c) \wedge \text{owner}(c, \text{john}) \wedge \text{make}(c, \text{kia}) \wedge \text{on}(t, \text{LeftSide}(c)) \wedge \text{on}(t, \text{frontSide}(c)) \wedge \text{pressure}(t) < \text{psi}(30)$
  - this is a common trick - using existentially quantified variables to refer to objects, and then using lots of basic predicates to describe the properties of and relations among the objects
  - remember our example of replacing 'numlegs(x)'...
- usually, **implications** go with **universal** quantifiers
  - correct:  $\forall x \text{ plant}(x) \rightarrow \text{green}(x)$
  - incorrect:  $\exists x \text{ plant}(x) \rightarrow \text{green}(x)$
- usually, **conjunctions** go with **existential** quantifiers
  - (see tire example above)

# Axiomatizing Numbers

- Natural numbers (0,1,2...)
- Peano axioms
  - $\text{natNum}(0)$  // there exists a natural number, denoted by '0'
  - $\forall n \text{ natNum}(n) \rightarrow \text{natNum}(S(n))$  // *successor function*
  - $\forall m \text{ and } n, m = n \leftrightarrow S(m) = S(n)$ .
  - $\forall n (S(n) \neq 0)$  // there is no natural number whose successor is 0.
  - $\forall n \text{ plus}(n,0)=n$  //  $n+0=n$
  - $\forall n,m \text{ plus}(n,S(m))=S(\text{plus}(n,m))$  //  $n+(m+1)=(n+m)+1$
  - ...there are a few more
- the point is that natural numbers exist and we can use basic arithmetic (as functions) in FOL sentences
  - $\forall x,n,y \text{ biped}(x) \wedge \text{Eq}(\text{numLegs}(x),n) \wedge \text{tripod}(y) \rightarrow \text{Eq}(\text{numLegs}(y),\text{Plus}(x,1))$  // "x+1"
- note that functions in the arithmetic sense are represented by functions in the logical sense

# Axiomatizing Numbers

- rational numbers – easy:
  - $\forall q \text{ rational}(q) \leftrightarrow \exists a, b \text{ natNum}(a) \wedge \text{natNum}(b) \wedge b \neq 0 \wedge q = \text{frac}(a, b)$
- real numbers: Continuum hypothesis
  - it's trickier to axiomatize these, but we can go ahead and assume real numbers exist! so we can use them in our FOL sentences
  - furthermore, we can assume functions, like  $\text{Plus}(a, b)$ ,  $\text{Times}(x, y)$  exist, so we can say things like:
  - $\forall c, t, d, m \text{ car}(c) \wedge \text{trip}(t) \wedge \text{distanceTraveled}(t, d) \wedge \text{gasMileage}(c, m) \rightarrow \text{fuelUsed}(c, t) = \text{Times}(d, m)$  *or " $d * m$ "*
- axioms for transcendental numbers; transfinite numbers...(axioms for the math cognoscenti)

# Sets

- remember: order of items doesn't matter (or repeats)
- $\forall s \text{ set}(s) \leftrightarrow s = \emptyset \vee [\exists x, a \text{ set}(x) \wedge s = \text{Add}(a, x)]$
- $\neg \exists s, a \text{ Add}(a, s) = \emptyset$
- $\forall s, a \text{ Member}(a, s) \leftrightarrow \exists t \text{ Add}(a, t) = s$  //  $a \in s$  is shorthand for  $\text{Member}(x, s)$
- $\forall r, s \text{ Subset}(r, s) \leftrightarrow [\forall x \text{ Member}(x, r) \rightarrow \text{Member}(x, s)]$
- $\forall r, s \text{ set}(r) \wedge \text{set}(s) \wedge r = s \leftrightarrow [\text{Subset}(r, s) \wedge \text{Subset}(s, r)]$
- $\forall r, s, x \text{ Member}(x, \text{Union}(r, s)) \leftrightarrow [\text{Member}(x, r) \vee \text{Member}(x, s)]$  //  $r \cup s$
- $\forall r, s, x \text{ Member}(x, \text{Intersection}(r, s)) \leftrightarrow [\text{Member}(x, r) \wedge \text{Member}(x, s)]$

# Quantities

- it is useful to be able to specify quantities, e.g. Bill bought 2 gallons of gas and 10 quarts of milk. which was more?
- use *functions* to indicate units of quantities
  - $\exists g \text{ bought}(\text{Bill}, g) \wedge \text{gas}(g) \wedge \text{volume}(g) = \text{gallons}(2)$
  - $\exists m \text{ bought}(\text{Bill}, m) \wedge \text{milk}(m) \wedge \text{volume}(m) = \text{quarts}(10)$
- the functions map numbers to ‘volumes’ as objects on an abstract scale, where  $\text{quarts}(10)$  is more than  $\text{gallons}(2)$ 
  - we want to be able to infer that  $\text{volume}(m) > \text{volume}(g)$
- we can connect them and reason about quantities with axioms like
  - $\forall x, y \text{ volume}(x) = \text{gallons}(y) \rightarrow \text{volume}(x) = \text{quarts}(4 * y)$



# Semantics of FOL: Model Theory

- in Prop Log, models were truth-assignments over propositions  $\langle P=T, Q=F... \rangle$
- in FOL, a model consists of 3 things:  $\langle \mathbf{U}, \mathbf{D}, \mathbf{R} \rangle$ 
  - $\mathbf{U}$  is a set of abstract objects in the universe (also called 'domain'); not necessary finite!
  - $\mathbf{D}$  are *denotations*, mappings from constants and functions to objects,  $D: const \rightarrow U$ 
    - for functions, there can be only one denotation for each argument
    - example: loves(bill, motherOf(bill)) works because there is only 1
    - loves(sue, pet(sue)) would not work, because she could have more than 1 pet
    - in 1-to-many situations, use a predicate:  $\forall x \text{ pet(sue, } x) \rightarrow \text{loves(sue, } x)$
  - $\mathbf{R}$  is a set of relations (tuples over  $U^n$ ) defining each predicate
    - for a unary predicate ( $n=1$ ), it is just the subset of objects  $U$  that satisfies it
    - note: we can't just say  $R_{\text{dog}} = \{\text{snoopy, marmaduke, ...}\}$  because these are constant terms
    - they need to be the objects in  $U$  that are denoted by these terms, e.g.  $R_{\text{dog}} = \{u_1, u_2, \dots\}$  if  $d(\text{'snoopy'}) = u_1$ ,  $d(\text{'marmaduke'}) = u_2$ , for  $u_1, u_2 \in U$
    - for  $n$ -ary predicates, it is the set of  $n$ -tuples  $\subset U \times U \dots U$  that satisfies it
    - note: the equality binary predicate,  $=$ , is always implicitly defined in any model as  $R_{\text{Eq}} = \{ \langle o_1, o_1 \rangle, \langle o_2, o_2 \rangle, \dots \}$  for all  $o_i \in U$




# Semantics of FOL

- note: there are usually many, many models that could represent the KB
- although this sounds abstract, think of a model as an "**envisionment**" of what the KB describes (also known as an "interpretation")

# Example of a Model

- KB={king(john),evil(john),ruler(john,England, interval(1189,1199)),
- brother(john,Richard),kick(john,leftLegOf(Richard), person(john),person(richard),
- $\forall x,y \text{ brother}(x,y) \rightarrow \text{brother}(y,x),$
- $\forall x \text{ king}(x) \rightarrow \exists y \text{ crown}(y) \wedge \text{onHead}(x,y) \}$
- model=<U,D,R>
- U=<a,b,c,d,e,f,t1,t2,i, $\emptyset$ > anonymous object ids
- D: denotations={



- $\text{model} = \langle U, D, R \rangle$
- $U = \langle a, b, c, d, e, f, t1, t2, i, \emptyset \rangle$  anonymous object ids
- $D$ : denotations = {
  - constants:
    - $\{ 'john' \rightarrow c, 'richard' \rightarrow a, 'England' \rightarrow f, 1189 \rightarrow t1, 1199 \rightarrow t2 \}$
  - functions:
  - $\text{leftLegOf}(.): \{ a \rightarrow d, c \rightarrow e; b, d, e, f, t1, t2, i \rightarrow \emptyset \}$
  - $\text{interval}(.,.): \{ \langle t1, t2 \rangle \rightarrow i; \text{all others } \langle u, v \rangle \rightarrow \emptyset \}$
- $R$ : relations for each predicate:
  - $R_{\text{brother}} = \{ \langle a, c \rangle, \langle c, a \rangle \}$
  - $R_{\text{evil}} = \{ \langle c \rangle \}$ ;  $R_{\text{crown}} = \{ \langle b \rangle \}$
  - $R_{\text{ruler}} = \{ \langle c, f, i \rangle \}$
  - $R_{\text{person}} = \{ \langle c \rangle, \langle a \rangle \}$

# Semantics of FOL

- there are other models...
  - with more (unmentioned objects)
  - where richard also has a crown
  - where richard also kicks john
  - where the crown has a brother...
- but
  - some models are not consistent with the KB
  - for example, if john was richard's brother, but richard was not john's brother, i.e.  $\langle a, c \rangle \in R_{\text{brother}}$  but  $\langle c, a \rangle \notin R_{\text{brother}}$
  - the reflexive axiom for *brother* constrains which models satisfy the KB
  - in fact, models with  $R_{\text{brother}} = \{\langle a, c \rangle, \langle c, a \rangle, \langle b, e \rangle, \langle e, b \rangle\}$  are OK too

# FOL Truth Conditions

- remember in Prop Log, we used truth tables to evaluate the truth value of any sentence, given a model (composed ground-up from propositions)
- In FOL, if  $m = \langle U, D, R \rangle$  (and there are no free vars in sub-sentences  $P$  and  $Q$ ) then:
  - $\text{sat}(m, \text{pred}(\langle t_1, \dots, t_n \rangle))$  iff  $\langle d(t_1), \dots, d(t_n) \rangle \in R_{\text{pred}}$
  - $\text{sat}(m, \neg s)$  iff  $\text{sat}(m, s)$  is false
  - $\text{sat}(m, P \wedge Q)$  iff  $\text{sat}(m, P)$  and  $\text{sat}(m, Q)$
  - $\text{sat}(m, P \vee Q)$  iff  $\text{sat}(m, P)$  or  $\text{sat}(m, Q)$
  - $\text{sat}(m, P \rightarrow Q)$  iff  $\text{sat}(m, \neg P)$  or  $\text{sat}(m, Q)$
  - $\text{sat}(m, \forall x P(x))$  iff for every  $o \in U$ ,  $\text{sat}(m, P(x/o))$  where  $x$  is substituted by  $o$
  - $\text{sat}(m, \exists x P(x))$  iff for some  $o \in U$ ,  $\text{sat}(m, P(x/o))$  where  $x$  is substituted by  $o$
  - for any sentence  $P(\dots x \dots)$  containing  $x$

# Semantics of FOL

- using the truth conditions, you should be able to prove that:
  - $\neg \forall x P(x) \equiv \exists x \neg P(x)$  (semantically equivalent)
  - $\neg \exists x P(x) \equiv \forall x \neg P(x)$
  - you have to show this holds *for all models*

# Entailment

- this is the key idea underlying inference
  - entailment = “logical consequence” of a KB
- $\alpha \models \beta$  iff *all models of  $\alpha$  also satisfy  $\beta$*  (same as in Prop Log)
- the problem is that there are many more models in FOL (possibly infinite, possibly uncountable) (not just  $2^n$ )
- (a bit of related theory that you don't need to know...)
- Lowenheim-Skolem Theorem (paraphrased): For any finite, consistent set of first-order sentences, there always exists models of infinite size

# Inference in FOL

- unlike Prop Log, we can't do model-checking (because the number of models is not finite)
- thus we NEED to use sound rules of inference to show that a sentence is entailed *purely by syntactic manipulation*
- most of the ROI from Prop Log carry over to FOL
- there are some new rules (e.g. related to quantifiers)
- the main new concept is unification, for dealing with variable when doing pattern matching (e.g. of sub-sentences)

# Inference in FOL

ROI	from this...	derive this...
AndElimination (AE)	$A \wedge B$	$A$
AndIntroduction (AI)	$A, B$	$A \wedge B$
OrIntroduction	$A, B$	$A \vee B$
Commutativity	$A \wedge B$	$B \wedge A$
Distributivity	$A \vee (B \wedge C)$ $A \wedge (B \vee C)$	$(A \vee B) \wedge (A \vee C)$ $(A \wedge B) \vee (A \wedge C)$
DoubleNegationElim (DN)	$\neg\neg A$	$A$
DeMorgan's Laws (DM)	$\neg(A \vee B)$ $\neg(A \wedge B)$	$\neg A \wedge \neg B$ $\neg A \vee \neg B$
ImplicationElimination (IE)	$A \rightarrow B$	$\neg A \vee B$
contraposition	$A \rightarrow B$	$\neg B \rightarrow \neg A$
Modus Ponens (MP)	$A, A \rightarrow B$	$B$
Modus Tolens	$A \rightarrow B, \neg B$	$\neg A$
Resolution	$A \vee B, \neg A \vee C$	$B \vee C$
Universal Instantiation	$\forall x P(x)$	$P(c)$ for any const $c$
Existential Instantiation	$\exists x P(x)$	$P(c)$ for NEW const $c$

these work the same in FOL as in Prop Log

these need to be adapted to handle variables

new rules <sup>24</sup>



# Inference in FOL

- 2 new ROI
  - these can be used to make 'ground sentences', or versions of quantified sentences with variable replaced by specific constants

- Universal Instantiation (UI)

$\forall x P(x)$       any sentence P containing x

$P(c)$               where variable x is replaced with any constant c

- example:

$\{\forall x \text{ parent}(x) \rightarrow \exists y \text{ child}(y,x)\}$

$\text{parent}(\text{homer}) \rightarrow \exists y \text{ child}(y,\text{homer})$

$\text{parent}(\text{fido}) \rightarrow \exists y \text{ child}(y,\text{fido})$

$\text{parent}(\text{ReliantStadium}) \rightarrow \exists y \text{ child}(y,\text{ReliantStadium})$  // nonsense, but still true

# Inference in FOL

- Existential Instantiation (EI)

$\exists x P(x)$       any sentence  $P$  containing  $x$

$P(c)$       where variable  $x$  is replaced with any *new* constant  $c$  *that does not appear anywhere else in the KB*

- $c$  is called a 'skolem constant'; it is like introducing an anonymous name for the object

- example:

- $\{\exists x \text{ car}(x) \wedge \text{owns}(\text{john}, x)\} \vdash \{\text{car}(\text{car}_{57}) \wedge \text{owns}(\text{john}, \text{car}_{57})\}$
- where  $\text{car}_{57}$  is a made-up new symbol denoting the thing that exists
- if you use any existing symbol, it doesn't work:  $\text{owns}(\text{john}, \text{the\_alamo})$
- in LISP, there is a 'gensym' function to create new symbols:  
 $\text{owns}(\text{john}, \_X454912)$

# Unification

- MP and Reso involve pattern matching
- need to extend them to handle variables
- example:
  - $KB = \{ \forall x \text{ dog}(x) \rightarrow \text{mammal}(x), \text{dog}(\text{fido}) \}$
  - we want to conclude  $KB \models \text{mammal}(\text{fido})$  by MP, but technically, ' $\text{dog}(\text{fido})$ ' does not match the antecedent ' $\text{dog}(x)$ '
  - however, they would match if ' $x$ ' were substituted by ' $\text{fido}$ '

# Unification

- a *variable-substitution list* is a mapping of variables to terms,  
Var  $\mapsto$  Term
  - example:  $u = \{X/\text{fido}\}$
  - vars can map to constants, other vars, or functions
  - $u = \{X/\text{fido}, Y/\text{snoopy}, U/V, Z/\text{sqrt}(2), R/f(P,Q), M/\text{mother}(\text{bill})\}$
- a *unifier* of 2 expressions P and Q is a substitution-list that makes P and Q syntactically identical
  - $P = \text{dog}(X), Q = \text{dog}(\text{fido}),$
  - $u = \{X/\text{fido}\},$
  - $P' = \text{subst}(u, P) = \text{dog}(\text{fido}),$
  - $Q' = \text{subst}(u, Q) = \text{dog}(\text{fido}),$
  - hence  $P' = Q'$

# Unification

- another example:
  - $P = \text{eats}(X, \text{dogfood}); Q = \text{eats}(\text{fido}, Y)$
  - $\text{unify}(P, Q) = u$  where  $u = \{X/\text{fido}, Y/\text{dogfood}\}$
  - $\text{subst}(u, P) = \text{subst}(u, Q) = \text{eats}(\text{fido}, \text{dogfood})$
- another example:
  - $P = \text{gives}(\text{bill}, \text{mother}(\text{bill}), B, T, V)$   $Q = \text{gives}(P, Q, \text{present}, R, V)$
  - 3 alternative unifiers:
  - $u_1 = \{P/\text{bill}, Q/\text{mother}(\text{bill}), B/\text{present}, T/R\}$  // don't need to bind  $V$
  - $u_2 = \{P/\text{bill}, Q/\text{mother}(\text{bill}), B/\text{present}, T/R, V/3\}$  // also works, but not necessary
  - $u_3 = \{P/\text{bill}, Q/\text{mother}(\text{bill}), B/\text{present}, R/S, T/S\}$  // also works, variable renaming

# Unification

- negative examples that do not unify:
  - no substitution will make these identical; i.e.  $\text{unify}(P,Q)=\text{fail}$
  - $P=\text{loves}(\text{bill},\text{mother}(\text{bill}))$ ,  $Q=\text{loves}(X,X)$
  - $P=\text{move}(\text{blockA},\text{stack1},X)$ ,  $Q=\text{move}(Y,X,\text{stack2})$
  - $P=\text{lessThan}(6,7)$ ,  $Q=\text{lessThan}(X,\text{succ}(X))$
  - $P=\text{match}(X,X)$ ,  $Q=\text{match}(Y,f(Y))$ 
    - after binding  $X$  to  $Y$ , then  $X$  cannot be bound to  $f(X)$  which contains it
- most-general unifier (MGU) of  $P$  and  $Q$ 
  - the unifier that makes the least commitments (no unnec. variable bindings)
  - the MGU always exists and is unique (modulo variable renaming)

# Unification Algorithm

- given 2 expressions (FOL predicates or sentences), how to determine whether they are unifiable, and if so, what is the MGU?
- the gist of the algorithm:
  - imagine P and Q as parse trees
  - start with an empty substitution list and add variable bindings as you go
  - do a left traversal of the parse trees
  - whenever you see a variable in one tree
    - check to see if it is already bound
    - if not bind it to the corresponding subtree in the other expression

# Unification Algorithm

- the algorithm treats each expression as a nested list, like “[loves fido [owner fido]]”, which is a list of 3 terms, the last of which is a list of 2 terms (like S-expressions)
- the algorithm is recursive; if it can match element  $i$  in each list, it proceeds with trying to match elements  $i+1$
- UnifyVar subroutine tries to add a binding of  $var$  to  $x$  in the current substitution list
- first, it checks if  $var$  or  $x$  already have substitutions
- it also checks that  $var$  does not occur inside of  $x$ , e.g. can't bind  $Z$  to  $f(Z)$

```
function UNIFY( $x, y, \theta = \text{empty}$ ) returns a substitution to make  $x$  and  $y$  identical, or failure  
  if  $\theta = \text{failure}$  then return failure  
  else if  $x = y$  then return  $\theta$   
  else if VARIABLE?( $x$ ) then return UNIFY-VAR( $x, y, \theta$ )  
  else if VARIABLE?( $y$ ) then return UNIFY-VAR( $y, x, \theta$ )  
  else if COMPOUND?( $x$ ) and COMPOUND?( $y$ ) then  
    return UNIFY(ARGS( $x$ ), ARGS( $y$ ), UNIFY(OP( $x$ ), OP( $y$ ),  $\theta$ ))  
  else if LIST?( $x$ ) and LIST?( $y$ ) then  
    return UNIFY(REST( $x$ ), REST( $y$ ), UNIFY(FIRST( $x$ ), FIRST( $y$ ),  $\theta$ ))  
  else return failure
```

```
function UNIFY-VAR( $var, x, \theta$ ) returns a substitution  
  if  $\{var/val\} \in \theta$  for some  $val$  then return UNIFY( $val, x, \theta$ )  
  else if  $\{x/val\} \in \theta$  for some  $val$  then return UNIFY( $var, val, \theta$ )  
  else if OCCUR-CHECK?( $var, x$ ) then return failure  
  else return add  $\{var/x\}$  to  $\theta$ 
```





# Unification Algorithm

*in this example, capital letters are variables and lower-case are constants*


*this example describes  
block a on block b in situation S,  
which is the successor of doing  
a puton action in a predecessor state T*

- $P = \text{on}(X,Y,S) \wedge \text{clear}(X,\text{do}(A,T))$
- $Q = \text{on}(a,b,\text{do}(\text{puton}(a,b),\text{state1})) \wedge \text{clear}(Z,S)$
- $u = \{X/a, Y/b, Z/a, S/\text{do}(\text{puton}(a,b),\text{state1}), A/\text{puton}(a,b), T/\text{state1}\}$
- $\text{subst}(u,P) = \text{on}(a,b,\text{do}(\text{puton}(a,b),\text{state1})) \wedge \text{clear}(a,\text{do}(\text{puton}(a,b),\text{state1}))$




# Unification Algorithm

- $P = \text{on}(X,Y,S) \wedge \text{clear}(X,\text{do}(A,T))$
- $Q = \text{on}(a,b,\text{do}(\text{puton}(a,b),\text{state1})) \wedge \text{clear}(Z,S)$
- $u = \{X/a, Y/b, Z/a, S/\text{do}(\text{puton}(a,b),\text{state1}), A/\text{puton}(a,b), T/\text{state1}\}$
- $\text{subst}(u,P) = \text{on}(a,b,\text{do}(\text{puton}(a,b),\text{state1})) \wedge \text{clear}(a,\text{do}(\text{puton}(a,b),\text{state1}))$



# Unification Algorithm


- $P = \text{on}(X,Y,S) \wedge \text{clear}(X,\text{do}(A,T))$
- $Q = \text{on}(a,b,\text{do}(\text{puton}(a,b),\text{state1})) \wedge \text{clear}(Z,S)$
- $u = \{X/a, Y/b, Z/a, S/\text{do}(\text{puton}(a,b),\text{state1}), A/\text{puton}(a,b), T/\text{state1}\}$
- $\text{subst}(u,P) = \text{on}(a,b,\text{do}(\text{puton}(a,b),\text{state1})) \wedge \text{clear}(a,\text{do}(\text{puton}(a,b),\text{state1}))$



$u = \{X/a, Y/b,$   
 $S/\text{do}(\text{puton}(a,b),\text{state1}),$   
 $Z/a\}$   
“substitute through  $X$  to  $a$ ”  
 $u = \{X/a, Y/b,$   
 $S/\text{do}(\text{puton}(a,b),\text{state1}),$   
 $Z/a\}$

# Unification Algorithm

- $P = \text{on}(X,Y,S) \wedge \text{clear}(X,\text{do}(A,T))$
- $Q = \text{on}(a,b,\text{do}(\text{puton}(a,b),\text{state1})) \wedge \text{clear}(Z,S)$
- $u = \{X/a, Y/b, Z/a, S/\text{do}(\text{puton}(a,b),\text{state1}), A/\text{puton}(a,b), T/\text{state1}\}$
- $\text{subst}(u,P) = \text{on}(a,b,\text{do}(\text{puton}(a,b),\text{state1})) \wedge \text{clear}(a,\text{do}(\text{puton}(a,b),\text{state1}))$



# Generalized Modus Ponens (GMP)

- from  $\{P', \forall \dots P \rightarrow Q\}$  derive  $Q' = \text{subst}(u, Q)$  where  $u = \text{unify}(P, P')$
- in other words...
  - if  $P'$  unifies with the antecedents of the rule, where  $u$  is the unifier, then derive the consequent, but apply the unifier to it
- example 1:  
 $\forall X, Y \text{ cat}(X) \wedge \text{mouse}(Y) \rightarrow \text{chase}(X, Y)$   
 $\text{cat}(\text{scratchy}) \wedge \text{mouse}(\text{itchy})$   
 $\text{chase}(\text{scratchy}, \text{itchy})$  using  $u = \{X/\text{scratchy}, Y/\text{itchy}\}$
- example 2:  
 $\forall M \text{ loves}(M, M) \rightarrow \text{narcissist}(M)$   
 $\text{loves}(\text{fonzie}, \text{fonzie})$   
 $\text{narcissist}(\text{fonzie})$  using  $u = \{M/\text{fonzie}\}$   
note - this does not work for  $\text{loves}(\text{joanie}, \text{chachi})$ , does not unify with  $\text{loves}(M, M)$

# Natural Deduction Proofs in FOL

## Example knowledge base

The law says that it is a crime for an American to sell weapons to hostile nations. The country Nono, an enemy of America, has some missiles, and all of its missiles were sold to it by Colonel West, who is American.

Prove that Col. West is a criminal

- It is a crime for an American to sell weapons to a hostile nation.  
1.  $\forall X,Y,Z \text{ american}(X) \wedge \text{weapon}(Y) \wedge \text{hostile}(Z) \wedge \text{sells}(X,Y,Z) \rightarrow \text{criminal}(X)$
- Nono has some missiles.  
2.  $\exists B \text{ owns}(\text{nono}, B) \wedge \text{missile}(B)$
- All of Nono's missiles were sold to it by Colonel West.  
3.  $\forall C \text{ owns}(\text{nono}, C) \wedge \text{missile}(C) \rightarrow \text{sells}(\text{west}, C, \text{nono})$
- Missiles are weapons.  
4.  $\forall D \text{ missile}(D) \rightarrow \text{weapon}(D)$
- An enemy of America counts as "hostile".  
5.  $\forall E \text{ enemy}(E, \text{america}) \rightarrow \text{hostile}(E)$
- The country Nono is an enemy of America.  
6.  $\text{enemy}(\text{nono}, \text{america})$
- Colonel West is an American.  
7.  $\text{american}(\text{west})$

# Natural Deduction proof in FOL (with unifiers)

- 8. *hostile(nono)* [MP,5,6]  $\theta=\{E/\text{nono}\}$
- 9. *owns(nono,m<sub>1</sub>)*  $\wedge$  *missile(m<sub>1</sub>)* [ExInst ,2]  $\theta=\{B/m_1\}$  skolem constant
- 10. *missile(m<sub>1</sub>)* [AndElim,9]
- 11. *weapon(m<sub>1</sub>)* [MP, 10,4]  $\theta=\{D/m_1\}$
- 12. *sells(west,m<sub>1</sub>,nono)* [MP, 3,9]  $\theta=\{C/m_1\}$
- 13. *american(west)*  $\wedge$  *weapon(m1)*  $\wedge$  *hostile(nono)*  $\wedge$  *sells(west,m1,nono)*  
[AndIntro, 7,8,11,12]
- 14. *criminal(west)* [MP,1,13]  $\theta=\{X/\text{west},Y/m_1,Z/\text{nono}\}$

(From previous page...)

1.  $\forall X,Y,Z \text{ american}(X) \wedge \text{weapon}(Y) \wedge \text{hostile}(Z) \wedge \text{sells}(X,Y,Z) \rightarrow \text{criminal}(X)$



# Generalized Resolution

- from  $\{P \vee Q, \neg P' \vee R\}$  derive  $Q' \vee R' = \text{subst}(u, Q \vee R)$  where  $u = \text{unify}(P, P')$
- in other words...
  - if  $P$  and  $P'$  are two opposite literals that unify, and unifier is  $u$ , then combine the remaining literals and apply the substitution
- example:
  - clause 1:  $\neg \text{dog}(X) \vee \underline{\text{mammal}(X)}$
  - clause 2:  $\underline{\neg \text{mammal}(Y)} \vee \text{animal}(Y)$
  - resolvent( $P, Q$ ):  $\neg \text{dog}(Y) \vee \text{animal}(Y)$  after applying  $u = \{X/Y\}$

# Resolution

- generalized resolution - with unifiers

Full first-order version:

$$\frac{\ell_1 \vee \dots \vee \ell_k, \quad m_1 \vee \dots \vee m_n}{(\ell_1 \vee \dots \vee \ell_{i-1} \vee \ell_{i+1} \vee \dots \vee \ell_k \vee m_1 \vee \dots \vee m_{j-1} \vee m_{j+1} \vee \dots \vee m_n)\theta}$$

where  $\text{UNIFY}(\ell_i, \neg m_j) = \theta$ .

For example,

$$\frac{\neg Rich(x) \vee Unhappy(x) \quad Rich(Ken)}{Unhappy(Ken)}$$

with  $\theta = \{x/Ken\}$

Apply resolution steps to  $CNF(KB \wedge \neg\alpha)$ ; complete for FOL

## Conversion to CNF ...in FOL

Everyone who loves all animals is loved by someone:

$$\forall x ( [\forall y \text{ Animal}(y) \Rightarrow \text{Loves}(x, y)] \Rightarrow [\exists y \text{ Loves}(y, x)] )$$

1. Eliminate biconditionals and implications

$$\forall x [\neg \forall y \neg \text{Animal}(y) \vee \text{Loves}(x, y)] \vee [\exists y \text{ Loves}(y, x)]$$

2. Move  $\neg$  inwards:  $\neg \forall x, p \equiv \exists x \neg p$ ,  $\neg \exists x, p \equiv \forall x \neg p$ :

$$\forall x [\exists y \neg (\neg \text{Animal}(y) \vee \text{Loves}(x, y))] \vee [\exists y \text{ Loves}(y, x)]$$

$$\forall x [\exists y \neg \neg \text{Animal}(y) \wedge \neg \text{Loves}(x, y)] \vee [\exists y \text{ Loves}(y, x)]$$

$$\forall x [\exists y \text{ Animal}(y) \wedge \neg \text{Loves}(x, y)] \vee [\exists y \text{ Loves}(y, x)]$$

## Conversion to CNF contd. ...in FOL

3. Standardize variables: each quantifier should use a different one

$$\forall x [\exists y \text{ Animal}(y) \wedge \neg \text{Loves}(x, y)] \vee [\exists z \text{ Loves}(z, x)]$$

4. Skolemize: a more general form of existential instantiation.  
Each existential variable is replaced by a Skolem function of the enclosing universally quantified variables:

$$\forall x [\text{Animal}(F(x)) \wedge \neg \text{Loves}(x, F(x))] \vee \text{Loves}(G(x), x)$$

5. Drop universal quantifiers:

$$[\text{Animal}(F(x)) \wedge \neg \text{Loves}(x, F(x))] \vee \text{Loves}(G(x), x)$$

6. Distribute  $\wedge$  over  $\vee$ :

$$[\text{Animal}(F(x)) \vee \text{Loves}(G(x), x)] \wedge [\neg \text{Loves}(x, F(x)) \vee \text{Loves}(G(x), x)]$$

find a pair of clauses that are unifiable  
e.g  $C_i = \neg \text{pineTree}(P) \vee \text{plant}(P)$   
 $C_j = \text{pineTree}(\text{christmasTree29})$   
they unify, provided  $P = \text{christmasTree29}$

**function** PL-RESOLUTION( $KB, \alpha$ ) **returns** *true* or *false*

**inputs:**  $KB$ , the knowledge base, a sentence in propositional logic  
 $\alpha$ , the query, a sentence in propositional logic

$clauses \leftarrow$  the set of clauses in the CNF representation of  $KB \wedge \neg \alpha$

$new \leftarrow \{ \}$

**loop do**

**for each** pair of clauses  $C_i, C_j$  **in**  $clauses$  **do**

$resolvents \leftarrow$  PL-RESOLVE( $C_i, C_j$ )

**if**  $resolvents$  contains the empty clause **then return** *true*

$new \leftarrow new \cup resolvents$

**if**  $new \subseteq clauses$  **then return** *false*

$clauses \leftarrow clauses \cup new$


don't forget to  
negate the query

apply unifier  $\theta$  to remaining literals to generate  
the "resolvent": e.g.  $\text{plant}(\text{christmasTree29})$

termination: we are looking to generate  
the empty clause

KB converted to CNF

clauses derived by resolution



# Resolution Strategies (Search Heuristics)

- Unit preference
  - choose pairs of clauses where one of them is a single literal
  - why? because will reduce length of other clause
- Set of Support
  - initially identify a subset of clauses likely to contain the inconsistency (e.g. the negated query)
  - with each iteration, choose one of the clauses from SOS, and add resolvent to SOS
  - example: in Wumpus World, focus only on clauses involving rooms (x,y) where x and y are restricted to 1-3
  - generates "goal-directed proofs", without deriving a lot of irrelevant conclusions from a large KB

# Resolution Strategies

- Input resolution
  - always choose one of the clauses from the Input (KB or facts) - never resolve 2 derived clauses
  - restricted space of proof trees with a "spine" (see Col. West example)
  - efficient, but not complete (except for Horn clause KBs)
- Linear resolution
  - a variant of Input resolution
  - allow clauses to be resolved if one of them is in Input, or if one is an ancestor of the other
  - complete



# Completeness of Resolution

- Recall that Reso in Prop Logic is complete - because of Ground Resolution Theorem:
  - If a set of Prop clauses  $S$  is unsatisfiable, the empty clause is in the Resolution Closure, so there exists a finite sequence of resolution steps that will generate the empty clause  $\square$
- To prove this for FOL, we need to take unification into account (for variables)
- Herbrand's Theorem:
  - If a set of FOL clauses  $S$  is unsatisfiable, then there exists a finite set of ground instances that is unsatisfiable
- combine this with the Ground Resolution Theorem and the Lifting Lemma to show that  $\square$  can be derive from the original clauses  $S$  (with variables)

for example: think of converting  
 $\exists x \text{ missile}(x)$  and  $\forall y \neg \text{missile}(y) \vee \text{weapon}(y)$   
to:  $\text{missile}(m_1)$  and  $\neg \text{missile}(m_1) \vee \text{weapon}(m_1)$

# Completeness of Resolution

- Herbrand Universe: set of all constants and functions of constants
  - $a, b, c, f(a), f(b), f(f(a)) \dots$
- Herbrand base: set of all ground clauses made by using objects from Herbrand Universe as arguments
  - $\text{dog}(a) \rightarrow \text{mammal}(a)$
  - $\text{dog}(b) \rightarrow \text{mammal}(b)$
  - $\text{dog}(f(a)) \rightarrow \text{mammal}(f(a))$
  - ...
- Lifting Lemma: once you have the structure of a proof of  $\square$  using ground sentences, you can put the variables back in to the same proof structure

Any set of sentences  $S$  is representable in clausal form



Assume  $S$  is unsatisfiable, and in clausal form



Some set  $S'$  of ground instances is unsatisfiable



Resolution can find a contradiction in  $S'$



There is a resolution proof for the contradiction in  $S'$

Herbrand's theorem

Ground resolution theorem

Lifting lemma

# Illustration of Herbrand's Theorem

- Consider the FOL theory for Col West:
  - $\forall X,Y,Z$   
 $american(X) \wedge weapon(Y) \wedge hostile(Z) \wedge sells(X,Y,Z) \rightarrow criminal(X)$
  - $\exists B$  owns(nono,B)  $\wedge$  missile(B)
  - $\forall C$  owns(nono,C)  $\wedge$  missile(C)  $\rightarrow$  sells(west,C,nono)
  - $\forall D$  missile(D)  $\rightarrow$  weapon(D)
  - $\forall E$  enemy(E,america)  $\rightarrow$  hostile(E)
  - enemy(nono,america)
  - american(west)
- We want to show  $KB \models criminal(west)$  by Resolution. Can we count on a derivation of  $\square$  by a finite number of steps?
- Herbrand says the FOL KB is equivalent to a collection of ground sentences where exist. vars are skolemized and univ. vars are replaced by all possible constants...
  - //  $\forall D$  missile(D)  $\rightarrow$  weapon(D)  $\equiv$   
 $missile(west) \rightarrow weapon(west)$   
 $missile(nono) \rightarrow weapon(nono)$   
 $missile(america) \rightarrow weapon(america)$   
 $missile(m1) \rightarrow weapon(m1)$  \*
  - //  $\forall E$  enemy(E,america)  $\rightarrow$  hostile(E)  $\equiv$   
 $enemy(west,America) \rightarrow hostile(west)$   
 $enemy(nono,America) \rightarrow hostile(nono)$  \*  
 $enemy(america,America) \rightarrow hostile(america)$   
 $enemy(m1,America) \rightarrow hostile(m1)$
  - // we would have all combinations of X,Y,Z...  
 $american(m1) \wedge weapon(m1) \wedge hostile(m1) \wedge sells(m1,m1,m1) \rightarrow criminal(m1)$   
 ...  
 $american(west) \wedge weapon(m1) \wedge hostile(nono) \wedge sells(west,m1,nono) \rightarrow criminal(west)$  \*  
 ...
- Most of these are irrelevant and silly, but they exist in principle.
- Our proof only relies on only selected ground instances (marked by asterisks)

# Illustration of Herbrand's Theorem

- select just the right ground sentences (and add negated query):

$american(west) \wedge weapon(m1) \wedge hostile(nono) \wedge sells(west, m1, nono) \rightarrow criminal(west)$   
 $owns(nono, m1) \wedge missile(m1)$   
 $owns(nono, m1) \wedge missile(m1) \rightarrow sells(west, m1, nono)$   
 $missile(m1) \rightarrow weapon(m1)$   
 $enemy(nono, america) \rightarrow hostile(nono)$   
 $enemy(nono, america)$   
 $american(west)$   
 $\neg criminal(west)$

- propositionalize:

$american\_west \wedge weapon\_m1 \wedge hostile\_nono \wedge sells\_west\_m1\_nono \rightarrow criminal\_west$   
 $owns\_nono\_m1 \wedge missile\_m1$   
 $owns\_nono\_m1 \wedge missile\_m1 \rightarrow sells\_west\_m1\_nono$   
 $missile\_m1 \rightarrow weapon\_m1$   
 $enemy\_nono\_america \rightarrow hostile\_nono$   
 $enemy\_nono\_america$   
 $american\_west$   
 $\neg criminal\_west$

- propositionalization:

change FOL sentences into Propositional Logic.  
replace predicates with propositional symbols.

- add negated query and convert to CNF:

$\neg american\_west \vee \neg weapon\_m1 \vee \neg hostile\_nono \vee \neg sells\_west\_m1\_nono \vee criminal\_west$   
 $owns\_nono\_m1$   
 $missile\_m1$   
 $\neg owns\_nono\_m1 \vee \neg missile\_m1 \vee sells\_west\_m1\_nono$   
 $\neg missile\_m1 \vee weapon\_m1$   
 $\neg enemy\_nono\_america \vee hostile\_nono$   
 $enemy\_nono\_america$   
 $american\_west$   
 $\neg criminal\_west$

# Illustration of Herbrand's Theorem

- do resolution proof in propositional logic:

1.  $\neg\text{american\_west} \vee \neg\text{weapon\_m1} \vee \neg\text{hostile\_nono} \vee \neg\text{sells\_west\_m1\_nono} \vee \text{criminal\_west}$
2.  $\text{owns\_nono\_m1}$
3.  $\text{missile\_m1}$
4.  $\neg\text{owns\_nono\_m1} \vee \neg\text{missile\_m1} \vee \text{sells\_west\_m1\_nono}$
5.  $\neg\text{missile\_m1} \vee \text{weapon\_m1}$
6.  $\neg\text{enemy\_nono\_America} \vee \text{hostile\_nono}$
7.  $\text{enemy\_nono\_america}$
8.  $\text{american\_west}$
9.  $\neg\text{criminal\_west}$
10.  $\neg\text{missile\_m1} \vee \text{sells\_west\_m1\_nono}$  [res, 2&4]
11.  $\text{sells\_west\_m1\_nono}$  [res, 3&10]
12.  $\text{hostile\_nono}$  [res, 6&7]
13.  $\text{weapon\_m1}$  [res, 3&5]
14.  $\neg\text{weapon\_m1} \vee \neg\text{hostile\_nono} \vee \neg\text{sells\_west\_m1\_nono} \vee \text{criminal\_west}$  [res, 8&1]
15.  $\neg\text{hostile\_nono} \vee \neg\text{sells\_west\_m1\_nono} \vee \text{criminal\_west}$  [res, 14&13]
16.  $\neg\text{sells\_west\_m1\_nono} \vee \text{criminal\_west}$  [res, 15&12]
17.  $\text{criminal\_west}$  [res, 16&11]
18.  $\square$  [res, 17&9]

- Lifting the same proof structure back to FOL (in CNF) with unification:

1.  $\neg\text{american}(X) \vee \neg\text{weapon}(Y) \vee \neg\text{hostile}(Z) \vee \neg\text{sells}(X,Y,Z) \vee \text{criminal}(X)$
2.  $\text{owns}(\text{nono}, m1)$
3.  $\text{missile}(m1)$
4.  $\neg\text{owns}(\text{nono}, C) \vee \neg\text{missile}(C) \vee \text{sells}(\text{west}, C, \text{nono})$
5.  $\neg\text{missile}(D) \vee \text{weapon}(D)$
6.  $\neg\text{enemy}(E, \text{america}) \vee \text{hostile}(E)$
7.  $\text{enemy}(\text{nono}, \text{america})$
8.  $\text{american}(\text{west})$
9.  $\neg\text{criminal}(\text{west})$
10.  $\neg\text{missile}(m1) \vee \text{sells}(\text{west}, m1, \text{nono})$  [res, 2&4] {C/m1}
11.  $\text{sells}(\text{west}, m1, \text{nono})$  [res, 3&10]
12.  $\text{hostile}(\text{nono})$  [res, 6&7] {E/nono}
13.  $\text{weapon}(m1)$  [res, 3&5] {D/m1}
14.  $\neg\text{weapon}(m1) \vee \neg\text{hostile}(Y) \vee \neg\text{sells}(\text{west}, Y, Z) \vee \text{criminal}(\text{west})$  [res, 8&1] {X/west}
15.  $\neg\text{hostile}(Z) \vee \neg\text{sells}(\text{west}, m1, Z) \vee \text{criminal}(\text{west})$  [res, 14&13] {Y/m1}
16.  $\neg\text{sells}(\text{west}, m1, \text{nono}) \vee \text{criminal}(\text{west})$  [res, 15&12], {Z/nono}
17.  $\text{criminal\_west}$  [res, 16&11]
18.  $\square$  [res, 17&9]

# Complexity of Resolution

- Recall that showing entailment by Resolution Refutation proofs in Propositional Logic is *NP-complete*
- FOL is only *semi-decidable*
  - if entailed ( $\alpha \models \beta$ ), we could prove it (in theory, Herbrand's Theorem)
  - if  $\beta$  is not entailed, cannot guarantee we can prove it (because of *Gödel's Incompleteness Theorem*)
- thus we say that Inference in FOL is "refutation-complete"
- computational complexity could be much worse than NP (depending on syntactic restrictions on variables, functions, operators...)
  - e.g. satisfiability of quantified Boolean formulas (QBF) is PSPACE-complete

# Forward-Chaining in FOL

- it works like it did in PropLog, but now we have to do unification when matching antecedents in rules, and keep track of variable bindings
- implementations
  - Rete algorithm: efficient way to store KB as a graph and determine which rules can fire, activating other nodes...
  - JESS – Java-based system in which you can build applications that use FC to make intelligent decisions

# Forward Chaining Systems

- also known as Production Systems or Expert Systems
  - e.g. diagnosis systems for medical, financial/corporate, or mechanical systems
  - also used for cognitive models of reasoning (e.g. ACT, SOAR)
    - model of long-term and short-term memory, with activation of concepts by association
- one advantage of ES is that they can generate *explanations* of their recommendations (i.e. a proof-tree showing the rules and facts that were used to support their conclusions)
- restriction: knowledge based must consist of facts and conjunctive rules (including universal quantifiers but not existential)



# Conjunctive Rules in FOL

- many KBs have rules of this form
- $\forall x, y [\exists z P(..)^{\wedge} Q(..)^{\wedge} R(..)] \rightarrow S(..)$ 
  - LHS (antecedents) has to be a *conjunction of positive literals* (no negations)
  - Universally quantified variables (appear in both antecedents and consequent)
  - LHS can also have extra variables ( $\exists z$ ), typically existentially quantified
- $\forall x [\exists z \text{int}(x)^{\wedge} \text{int}(z)^{\wedge} \text{factor}(z, x)^{\wedge} 1 < z < x] \rightarrow \text{compositeNumber}(x)$
- remember, conjunctive rules are equivalent to Definite Clauses
  - convert conjunctive rule to CNF (note the scoping during Impl. Elim.!)
    - $\forall x, y [\exists z P(..)^{\wedge} Q(..)^{\wedge} R(..)] \rightarrow S(..)$
    - $\forall x, y \neg [\exists z P(..)^{\wedge} Q(..)^{\wedge} R(..)] \vee S(..)$
    - $\forall x, y [\forall z \neg (P(..)^{\wedge} Q(..)^{\wedge} R(..))] \vee S(..)$
    - $\forall x, y [\forall z \neg (P(..)^{\wedge} Q(..)^{\wedge} R(..))] \vee S(..)$
    - $\forall x, y [\forall z \neg P(..) \vee \neg Q(..) \vee \neg R(..)] \vee S(..)$
    - $\forall x, y, z \neg P(..) \vee \neg Q(..) \vee \neg R(..) \vee S(..)$  - definite clause, 1 pos. lit.

*Note: standardize your variable apart between rules.  
If you use 'X' as a variable in multiple rules, replace each instance with a unique version (subscript).*

*For example:*

$\forall x \text{dog}(x) \rightarrow \text{mammal}(x)$

$\forall x \text{cat}(x) \rightarrow \text{mammal}(x)$

*becomes*

$\forall x_1 \text{dog}(x_1) \rightarrow \text{mammal}(x_1)$

$\forall x_2 \text{cat}(x_2) \rightarrow \text{mammal}(x_2)$

*That way, there will be less confusion during unification.*

## Forward chaining algorithm

**function** FOL-FC-Ask( $KB, \alpha$ ) **returns** a substitution or *false*

**repeat until**  $new$  is empty

$new \leftarrow \{\}$

**for each** sentence  $r$  in  $KB$  **do**

$(p_1 \wedge \dots \wedge p_n \Rightarrow q) \leftarrow \text{STANDARDIZE-APART}(r)$

**for each**  $\theta$  such that  $(p_1 \wedge \dots \wedge p_n)\theta = (p'_1 \wedge \dots \wedge p'_n)\theta$   
for some  $p'_1, \dots, p'_n$  in  $KB$

$q' \leftarrow \text{SUBST}(\theta, q)$

**if**  $q'$  is not a renaming of a sentence already in  $KB$  or  $new$  **then do**

add  $q'$  to  $new$

$\phi \leftarrow \text{UNIFY}(q', \alpha)$

**if**  $\phi$  is not *fail* **then return**  $\phi$

add  $new$  to  $KB$

**return** *false*

"agenda";  
initialize with  
known facts;  
add new facts  
as they are  
inferred

for each rule, like  $\forall x \text{ dog}(x) \rightarrow \text{mammal}(x)$   
replace with unique variable names, to  
avoid confusion with use of same variable in  
other rules,  $\forall x_{101} \text{ dog}(x_{101}) \rightarrow \text{mammal}(x_{101})$

# Forward Chaining Example IN FOL

1.  $\text{american}(X) \wedge \text{weapon}(Y) \wedge \text{hostile}(Z) \wedge \text{sells}(X, Y, Z) \rightarrow \text{criminal}(X)$
2.  $\text{owns}(\text{nono}, C) \wedge \text{missile}(C) \rightarrow \text{sells}(\text{west}, C, \text{nono})$
3.  $\text{missile}(D) \rightarrow \text{weapon}(D)$
4.  $\text{enemy}(E, \text{america}) \rightarrow \text{hostile}(E)$

agenda:  
initialized  
with facts

5.  $\text{owns}(\text{nono}, m1)$
6.  $\text{missile}(m1)$
7.  $\text{enemy}(\text{nono}, \text{america})$
8.  $\text{american}(\text{west})$
9.  $\text{weapon}(m1)$  // rule 3 fired,  $u=\{D/m1\}$
10.  $\text{hostile}(\text{nono})$  // rule 4 fired,  $u=\{E/\text{nono}\}$
11.  $\text{sells}(\text{west}, m1, \text{nono})$  // rule 2,  $u=\{C/m1\}$
12.  $\text{criminal}(\text{west})$  // rule 1 fires

Because we had to convert KB  
to definite clauses,

$\exists B \text{ owns}(\text{nono}, B) \wedge \text{missile}(B)$   
had to get made into a ground  
sentence by skolemization (EI):  
 $\text{owns}(\text{nono}, m1) \wedge \text{missile}(m1)$   
for a particular missile  $m1$

# Example: Kinship KB (Simpsons characters)

female(lisa)  
female(marge)  
male(bart)  
male(homer)  
male(tod)  
male(rod)  
male(flanders)

$\forall x,y \text{ parent}(x,y) \wedge \text{male}(y) \rightarrow \text{father}(x,y)$

$\forall x,y \text{ parent}(x,y) \wedge \text{female}(x) \rightarrow \text{daughter}(y,x)$

$\forall x,y [\exists z \text{ parent}(x,z) \wedge \text{parent}(y,z) \rightarrow \text{sibling}(x,y)]$

parent(bart,homer)  
parent(bart,marge)  
parent(lisa,homer)  
parent(lisa,marge)  
parent(rod,flanders)  
parent(tod,flanders)

interpret these as "father of x is y" etc.

food for thought: define rules for 'grandfather', 'cousin', 'aunt', 'related'...

# Example: Kinship KB (Simpsons characters)

female(lisa)  
female(marge)  
male(bart)  
**male(homer)**  
male(tod)  
male(rod)  
male(flanders)

parent(bart,homer)  
parent(bart,marge)  
parent(lisa,homer)  
parent(lisa,marge)  
parent(rod,flanders)  
parent(tod,flanders)

$\forall x,y \text{ parent}(x,y) \wedge \text{male}(y) \rightarrow \text{father}(x,y)$   
 $\forall x,y \text{ parent}(x,y) \wedge \text{female}(x) \rightarrow \text{daughter}(y,x)$   
 $\forall x,y [\exists z \text{ parent}(x,z) \wedge \text{parent}(y,z) \rightarrow \text{sibling}(x,y)]$

What new facts can we generate by **Forward Chaining**?


- find all combos of facts matching LHS of rules (try all var bindings)
- parent(bart,homer) ^ male(homer) → father(bart,homer)**

father(bart,homer)  
father(lisa,homer)  
father(rod,flanders)  
father(tod,flanders)  
daughter(marge,lisa)  
daughter(homer,lisa)

parent(bart,homer) ^ parent(lisa,homer) → sibling(bart,lisa)  
sibling(bart,lisa)  
sibling(lisa,bart)  
sibling(rod,tod)  
sibling(tod,rod)

what about sibling(bart,bart)?  
to prevent this, add  $x \neq y$  to the rule

# Forward-Chaining System Architecture




# Rete Algorithm

- representation of knowledge as a *network*, where nodes represent literals (predicates)
- rules link antecedent nodes to consequents
- start by *activating* nodes corresponding to initial facts
- uses efficient indexing of predicates to determine which rules can fire
- in each iteration, determine which rules can fire
- pick a rule (that can fire) with highest priority and modify the network
- rules with variables generate new instances of nodes for consequents with distinct variable bindings
- run until quiescence
- produces all the consequences of the facts

*alpha nodes* essentially store lists of facts (tuples) matching the pattern of an antecedent in a rule

*beta nodes* perform "joins" of alpha nodes that will activate a rule, producing specific new facts (tuples)



# Conflict Resolution

- a common issue in Forward Chaining that has to be dealt with
- What happens when two rules can fire that have opposite effects?
  - some rules can retract antecedents of other rules
  - e.g. one rule says *assert(P)* and the other says *retract(P)*
  - assign numeric priorities to rules – highest wins



# Conflict Resolution

- Subsumption Architecture (Rodney Brooks)
  - intelligent behavior in robots can be produced in a decentralized way by a lot of simple rules interacting
  - divide *behaviors* into lower-level basic survival behaviors that have higher priority, and higher-level goal-directed behaviors
  - hierarchical design: put rules in different layers based on essentiality
  - example: 6-legged robot ants learning to walk
    - lower-level rules: obstacle avoidance, safety
    - medium-level rules: coordination, balance
    - higher-level rules: goal-seeking
    - i.e., obstacle-avoidance actions can *override* goal-seeking actions

Ghenis:

[https://en.wikipedia.org/wiki/Genghis\\_\(robot\)](https://en.wikipedia.org/wiki/Genghis_(robot))



# Conflict Resolution

- Truth Maintenance Systems (TMS, section 10.6.2)
  - if system generates conflicting inferences from new observations, must find minimal set of consistent beliefs
    - like  $do(moveForward)$  and  $\neg do(moveForward)$ ,
    - or  $status(urgent)$  and  $\neg status(urgent)$
    - or  $clear(B)$  and  $on(A,B)$
  - conflicts could be caused by:
    - ambiguity from sensors
    - incomplete information (occlusion, inaccessibility)
    - retractions of previous beliefs
    - competing goals
  - TMSs have algorithms for finding minimal sets of consistent beliefs

# CLIPS/JESS - implementation of FC using Rete

- C-Language Integrated Production System

- developed at NASA
- open source: <http://clipsrules.net/>
- how to download, compile, and run:
  - [https://people.engr.tamu.edu/ioerger/CLIPS\\_demo.docx](https://people.engr.tamu.edu/ioerger/CLIPS_demo.docx)
- can interface reasoning with GUI, sensors, robot controllers, etc.

- JESS - Java Expert System Shell

- Java implementation of Forward-Chaining and Rete algorithm
- developed by Ernest Friedman-Hill at Sandia National Labs
- <http://alvarestech.com/temp/fuzzyjess/Jess60/Jess70b7/docs/index.html>
- requires license? JESS Lives (2006):  
<https://www.sandia.gov/labnews/2006/12/08/061208-3/>

```
(defrule library-rule-1
  (book (name ?X)
        (status late)
        (borrower ?Y))
  (borrower (name ?Y)
            (address ?Z))
  =>
  (send-late-notice ?X ?Y ?Z))
```

# CLIPS Example

- **Wine Expert** - <https://github.com/smarr/CLIPS/blob/master/examples/wine.clp>
  - expert system for recommending wine pairings with food

```
(rule (if has-sauce is yes and sauce is spicy) (then best-body is full))
```

```
(rule (if tastiness is delicate) (then best-body is light))
```

```
(rule (if has-sauce is yes and sauce is cream)  
      (then best-body is medium with certainty 40 and best-body is full with certainty 60))
```

```
(rule (if main-component is-not fish and has-sauce is yes and sauce is tomato)  
      (then best-color is red))
```

# Backward-Chaining in FOL

- it works like it did in PropLog, but now we have to do unification when matching goals on the goal stack, and keep track of variable bindings
- this is the basis of how Prolog works (BC in FOL)


## Backward chaining algorithm

```
function FOL-BC-Ask( $KB, goals, \theta$ ) returns a set of substitutions
  inputs:  $KB$ , a knowledge base
            $goals$ , a list of conjuncts forming a query ( $\theta$  already applied)
            $\theta$ , the current substitution, initially the empty substitution  $\{ \}$ 
  local variables:  $answers$ , a set of substitutions, initially empty

  if  $goals$  is empty then return  $\{ \theta \}$ 
   $q' \leftarrow \text{SUBST}(\theta, \text{FIRST}(goals))$ 
  for each sentence  $r$  in  $KB$ 
    where  $\text{STANDARDIZE-APART}(r) = (p_1 \wedge \dots \wedge p_n \Rightarrow q)$ 
    and  $\theta' \leftarrow \text{UNIFY}(q, q')$  succeeds
     $new\_goals \leftarrow [p_1, \dots, p_n | \text{REST}(goals)]$ 
     $answers \leftarrow \text{FOL-BC-ASK}(KB, new\_goals, \text{COMPOSE}(\theta', \theta)) \cup answers$ 
  return  $answers$ 
```

goal  $q'$  matches  
consequent of  
rule  $q$ , or  
goal matches a  
fact (where fact  
is like a rule with  
no antecedents,  
i.e.  $n=0$ )

Backward chaining example



1.  $\forall X,Y,Z \text{ american}(X) \wedge \text{weapon}(Y) \wedge \text{hostile}(Z) \wedge \text{sells}(X,Y,Z) \rightarrow \text{criminal}(X)$
- 2a. `owns(nono,m1)` // skolemized to make it definite-clause KB
- 2b. `missile(m1)`
3.  $\forall C \text{ owns(nono,C)} \wedge \text{missile}(C) \rightarrow \text{sells}(\text{west},C,\text{nono})$
4.  $\forall D \text{ missile}(D) \rightarrow \text{weapon}(D)$
5.  $\forall E \text{ enemy}(E,\text{america}) \rightarrow \text{hostile}(E)$
6. `enemy(nono,america)`
7. `american(west)`

(accumulated var bindings)

goal stack (left is top)	unifier	annotation
[criminal(west)]	$\theta = \{ \}$	initialize with query
[american(west), weapon(Y), sells(west,Y,Z), hostile(Z)]	$\theta = \{ X/\text{west} \}$	replace <i>criminal</i> with ants of rule 1.
[weapon(Y), sells(west,Y,Z), hostile(Z)]	$\theta = \{ X/\text{west} \}$	pop <i>american</i> by fact 6
[missile(Y), sells(west,Y,Z), hostile(Z)]	$\theta = \{ X/\text{west}, D/Y \}$	pop <i>weapon</i> , push <i>missile</i> , rule 4
[sells(west,m1,Z), hostile(Z)]	$\theta = \{ X/\text{west}, D/Y, Y/m1 \}$	pop <i>missile</i> by fact 2b
[owns(nono,m1),missile(m1),hostile(nono)]	$\theta = \{ X/\text{west}, D/Y, Y/m1, C/m1, Z/nono \}$	match <i>sells</i> to conseq of rule 3
[missile(m1),hostile(nono)]	$\theta = \{ X/\text{west}, D/Y, Y/m1, C/m1, Z/nono \}$	pop <i>owns</i> by fact 2a
[hostile(nono)]	$\theta = \{ X/\text{west}, D/Y, Y/m1, C/m1, Z/nono \}$	pop <i>missile</i> by fact 2b
[enemy(nono,America)]	$\theta = \{ X/\text{west}, D/Y, Y/m1, C/m1, Z/nono, E/nono \}$	match <i>hostile</i> to conseq of 5; replace with <i>enemy</i>
$\emptyset$ (empty stack)	$\theta = \{ X/\text{west}, D/Y, Y/m1, C/m1, Z/nono, E/nono \}$	pop <i>enemy</i> , since matches fact 6, leaving empty stack!

# Example: Kinship KB (Simpsons characters)

female(lisa)  
female(marge)  
male(bart)  
male(homer)  
male(tod)  
male(rod)  
male(flanders)

parent(bart,homer)  
parent(bart,marge)  
parent(lisa,homer)  
parent(lisa,marge)  
parent(rod,flanders)  
parent(tod,flanders)

$\forall x,y \text{ parent}(x,y) \wedge \text{male}(y) \rightarrow \text{father}(x,y)$   
 $\forall x,y \text{ parent}(x,y) \wedge \text{female}(x) \rightarrow \text{daughter}(y,x)$   
 $\forall x,y [\exists z \text{ parent}(x,z) \wedge \text{parent}(y,z) \rightarrow \text{sibling}(x,y)]$

What can we prove by **Backward Chaining**?

- remember to track variable bindings with unifiers!

query = father(lisa,homer)

goal stack:

[father(lisa,homer)]

// push antecedents

[parent(lisa,homer),male(homer)]  $u=\{x/lisa,y/homer\}$

// pop, since known fact

[male(homer)]

// pop, since known fact

$\emptyset$  empty stack

query = sibling(rod,tod)

goal stack:

[sibling(rod,tod)]

// push antecedents

[parent(rod,z),parent(tod,z)]  $u=\{x/rod,y/tod\}$

// pop, since unifies with parent(rod,flanders)

[parent(tod,flanders)]  $u=\{x/rod,y/tod,z/flanders\}$

// pop, since known fact

$\emptyset$  empty stack



# Back-chaining

- Don't forget that it is possible that a proof could fail
  - this happens when goal stack cannot be reduced to empty
  - there could be subgoals that are not known to be facts, and cannot be proved by any rules
  - this could happen when the query is NOT entailed
- Don't forget that, like BC in Propositional Logic, it is possible that backtracking might occur
  - suppose there are 3 rules that can be used to prove a subgoal P (i.e. pop P off stack, and it matches the RHS of 3 rules)
  - this represents a **choice-point**
  - BC-FOL algorithm (see pseudocode) tries *first rule* first, pushes antecedents onto stack, makes recursive call to see if rest of goals on stack can be proved
  - if recursion returns "fail", then try pushing antecedents for *second rule*, and repeat...

# PROLOG

- PROLOG is an implementation of back-chaining in FOL.
- you can install PROLOG, and use it (by writing PROLOG programs) to build Expert Systems for all kinds of applications.