

CSCE 420 – Fall 2024

Homework 4 (HW4)

due: **Tues, Nov 19, 2024, 11:59 pm**

Turn-in answers as a Word document (HW4.docx or .pdf) and commit/push it to your class github repo (in your HW4/ directory).

All homeworks must be typed, *not* hand-written and scanned as a photo.

1. Translate the following sentences into First-Order Logic. Remember to break things down to simple concepts (with short predicate and function names), and make use of quantifiers. For example, don't say "tasteDelicious(someRedTomatos)", but rather: " $\exists x \text{ tomato}(x) \wedge \text{red}(x) \wedge \text{taste}(x, \text{delicious})$ ". See the lecture slides for more examples and guidance.

- **bowling balls are sporting equipment**
- **horses are faster than frogs (there are many ways to say this in FOL; try expressing it this way: "all horses have a higher speed than any frog")**
- **all domesticated horses have an owner**
- **the rider of a horse can be different than the owner**
- **a finger is any digit on a hand other than the thumb**
- **an isosceles triangle is defined as a polygon with 3 edges connected at 3 vertices, where 2 (but not 3) edges have the same length**

2. Convert the following first-order logic sentence into CNF:

$$\forall x \text{ person}(x) \wedge [\exists z \text{ petOf}(x,z) \wedge [\forall y \text{ petOf}(x,y) \rightarrow \text{dog}(y)]] \rightarrow \text{doglover}(x)$$

Keep in mind that the quantifiers have *lower* precedence than all the other operators in FOL sentences.

3. Determine whether or not the following pairs of predicates are **unifiable**. If they are, give the most-general unifier and show the result of applying the substitution to each predicate. If they are not unifiable, indicate why. Capital letters represent variables; constants and function names are lowercase. For example, 'loves(A,hay)' and 'loves(horse,hay)' are unifiable, the unifier is $u=\{A/\text{horse}\}$, and the unified expression is 'loves(horse,hay)' for both.

- **owes(owner(X),citibank,cost(X)) owes(owner(ferrari),Z,cost(Y))**
- **gives(bill, jerry, book21) gives(X,brother(X),Z)**
- **opened(X,result(open(X),s0))) opened(toolbox,Z)**

4. Consider the following situation:

Marcus is a Pompeian.

All Pompeians are Romans.

Ceasar is a ruler.

All Romans are either loyal to Caesar or hate Caesar (but not both).

Everyone is loyal to someone.

People only try to assassinate rulers they are not loyal to.

Marcus tries to assassinate Caesar.

a) Translate these sentences to First-Order Logic.

b) Prove that **Marcus hates Caesar** using Natural Deduction. Label all derived sentences with the ROI and which prior sentences and unifier were used.

c) Convert all the sentences into CNF

d) Prove that **Marcus hates Caesar** using Resolution Refutation.

5. Write a KB in First-Order Logic with rules/axioms for...

- a. **Map-coloring** – every state must be exactly 1 color, and adjacent states must be different colors. Assume possible colors are states are defined using unary predicate like `color(red)` or `state(WA)`. To say a state has a color, use a binary predicate, e.g. '`color(WA,red)`'.
- b. **Sammy's Sport Shop** – include implications of facts like `obs(1,W)` or `label(2,B)`, as well as constraints about the boxes and colors. Use predicate '`cont(x,q)`' to represent that box `x` contains tennis balls of color `q` (where `q` could be `W`, `Y`, or `B`).
- c. **Wumpus World** - (hint start by defining a helper concept '`adjacent(x,y,p,q)`' which defines when a room at coordinates `(x,y)` is adjacent to another room at `(p,q)`. Don't forget rules for '`stench`', '`breezy`', and '`safe`'.
- d. **4-Queens** – assume `row(1)...``row(4)` and `col(1)...``col(4)` are facts; write rules that describe configurations of 4 queens such that none can attack each other, using '`queen(r,c)`' to represent that there is a queen in row `r` and col `c`.

Don't forget to quantify all your variables.